**Receiving Report** Batch No: Dart P/O: No N/A Release Note Attached: Yes Packing Slip: Yes No L Waybill Attached: Yes Invoice: Yes Shipment Complete:
QC6 Inspection \_\_\_\_ N/A Yes, Receipt: Cash N/A Work Order Discrepancies Quantity Quantity Quantity Quantity **Part** Comments Description Returned Short Ordered Received Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Received/Costing

Initial


# Purchase Order Receipt Listing

Wednesday, July 18, 2012 11:51:45 AM

All amounts are calculated in domestic currency.

All Line Item Types All Vendors PO ID PO17466 Receipt Dates from 7/18/2012 to 7/18/2012 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$185.77	\$22.17	148.0000 0.0000 0.0000 \$207.93 0.0000
MRB Qty/ MRB Reject Qty	0	0	Quantity: PO U/M): Quantity: pt Value: Quantity:
Inspected Qty/ Rejected Qty (PO U/M)	0.000.0	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:
Cost Per Unit/ Recv Value	\$1.45	\$1.11	Total
Recv Qty (PO U/M)	128.0000	20.0000	
Recv Date/ Recv Emp	7/18/2012 DES/102	7/18/2012 DESJ02	
Required Date Required Qty	7/20/2012 7/18/2012	7/20/2012 20.0000	
PO U/M / Stock U/M	Campi Steel A st HEET sf M D	<b>4</b>	
Project ID Reference/ Description/ Cert Std	VC-CAM002 Campi M1010S18GA 1010/1025 SHEET .048 87763	D6203P Angle 6061T6 1.5x1.5x125	87263
Project ID			
Line Nbr/ Insp Req	idor Name 1 No	2 N	
Purchase Order ID/ Curr Type	endorID/Vendor Name PO17466 1 CAD No		



TOTAL

SIGNATURE DU CLIENT / CUSTÒMER'S SIGNATURE

HEURE / TIME

LIVRÉ. / DEL

PAR VÉRIFIÉ / VERIFIED

PRÉPARÉ / PREPARED.

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS

# Test de dureté Rockwell **Rockwell Hardness Test**

Client / Customer :

Adresse / Address :

# commande Sapa / Sapa order # :

2051268

# bon de commande / Purchase order # :

CA-37859

# de matrice / Die # : MS 9611

Alliage & trempage / Alloy & temper:

Description: 1.5X1.5X1/8 IN.ANGLE RO.FT

6061 T6

Longueur / Lenght :

6094 mm

# Control # : 68983-1

# Coulée / Cast #: 53883

Dureté Rockwell E /

Min. requis /

Max, permis /

Rockwell E hardness: 92 HRE

Min. required: 88 HRE

Max. permitted: 100 HRE

Composition chimique typique / Typical chemical composition :

· · · · · · · · · · · · · · · · · · ·			<u> </u>	<del>,'''</del>	<del></del>			
	21	Fæ	Cu	Mn	Mg	Çr	Zn	Ti
8043	0.20 - 0.60	0.35 Mox	0.10 Max	0,10 Max	0,45 - 0,90	0,10 Max	0.10 Max	0.10 Max
<del>5</del> 005	0,60 - 0.90	0,35 Max	0,10 Max	0.10 Max	0,40 - 0,60	0.10 Max	0.10 Max	0,10 Max
60 <b>0</b> 5A	0,66-0,74	0.14 - 0.28	0.08 - 0.16	0.18 - 0.26	0,46 - 0.54	0,03 Max	0.05 Mox	0.05 Max
6061	0.40 - 0,80	0.70 Max	0.15 - 0.40	0.15 Max	0.80 - 1.20	0.04 - 0.35	0.25 Max	
6351	0.7 - 1.3	0,5 Max	0.10 Max	0.40 - 0.80	0.40 - 0.80	0,04 - 0,33	0,20 Mox	0.15 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-08 excepté pour la section 8.2 (nombre de spécimen).

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-08 except for section 8.2 (number of specimen) .

Sincèrement vôtre,

Yours truly.

date: 2012-05-31

on Isloth

Gilles Pelletier

Technicien de la qualité

Quality technician

ArcelorMittal Dofasco Inc. P.O. Box 2460 Hamilton, Ontario L8N 3J5

Purchase Order/Bon de Commande C45607 DEC CR BUY Bill of Lading/Connaissement 365172 Sold To/Vendu A

TEST REPORT RAPPORT D'ESSAI

Attention: Louise Fillon Fax: 9 1 450 669 0633 Date: 12/13/2011

Page 1 of 1

Customer/Client

Customer/Client Sales Order/Bon de Commande Vendor/Vender 563900 BS 290917006 Packing Slip/Bordereau de Charge Vehicle or Carrier/Vehicule ou Transporteur SAMUEL SON/RACK

Vendor / Vendeur

Spec/Norm et Spec.
ASIM A1008/A1008M-11 DS TYPE B
STD ASIM.2/3 FOR HDG GT 075(2MM), NO WELD
STANDARD UNEXPOSED SURFACE
STANDARD FLATNESS - ASIM FULL TOLERANCE
MATERIAL CERTIFICATION REQUIRED
CODE DEC CR BUY

Material Description/Description du Material COLD ROLLED STEEL SHEET DRAWING STEEL COLLE MATTE FINISH OILED

.0480 X 48.375 X COIL Weight - 22551 LBS Test Methods ASTM E1019, E415

HEAT SERIAL NUMBER COULEE NOMBRE DE SERIE 430091 T36098/02

LIFT NUMBER NOMBRE DE FARDEAU 4854319

C321183

con/
12/07/19

HEAT COULEE . 009 Cu Ni .007 \$n .002 . Mo .01 Als Alt Cb V Ti Ca N B .041 .04 .001 .001 .002 .0002 .0045 .0001 .01 .01 .02

We Certify That The Material Described Herein Conforms To The Specification Shown On This Document ArcelorMittal Dofasco Inc. as per Diane Skupny-MacBride - CMTL Supervisor The Results Relate Only To The Items Tested

This Report Shall Not Be Reproduced Except In Full Without The Expressed Written Approval of The CMTL Supervisor.

This Contract is Subject To The Terms And Conditions Of Sale Shown On The Order Acknowledgement. Ce Contrat est Sujet aux Termes et Conditions de Vente Indiques Sur l'Accuse de Reception de Commande.



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

# **PURCHASE ORDER**

## Purchase Order ID PO17466

Purchase Order Date 7/17/12 PO Print Date 7/17/12

Page Number 1 of 1

Order From:

VC-CAM002

**CAMPI STEEL** 

935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1

CA

**Contact Name** 

**Vendor Phone** 

800 667 4248

Vendor Fax

450 377 5696

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

**FOB** 

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Descripti Mfg ID	on/	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1 M101	010S18GA	1010/1025	SHEET .048	7/20/12 Yes	128.00 sf	Yours ppd	\$1.4790	\$189.31
			Special Inst:	A36/A366/A10	ISI 1010-1025 OR A 08 1 38W/44W/50W/6	-		
			MATERIAL TO	USE ON WEARPI	LATE	•		
2 D6203P	Angle 6061	Γ6 1.5x1.5x125	7/20/12 Yes	/20.00 f	Yours ppd	\$1.1295	\$22.59	
			Special Inst:	.125" MATERIAL: 60 200/8 MINIMUM UL' STRENGTH = 3	USION 1.500" X 1.5 61-T6/T651 AS PE FIMATE TENSILE	R QQ-A-		

No substitution or deviation without consent.

\$211.90

PO Total:

Certificate of Conformity or Material

Change Nbr:

**Change Date:** 7/17/12

Certification required-YES NO